Indiana State Police Clandestine Laboratory Occurrence Report This form complies with the statutory requirement set forth in IC 5-2-15-3.

Date:	4-9-14	Street:	SR135 NEAR HANCOCK CHAPEL	
Incident #:	14ISPC002945	Apt, Lot, Room #:		
County:	HARRISON	City:	PALMRYA,IN	
Type of Laboratory Seizure (check one) Sei		Seizure Locatio	cizure Location (check all that apply)	
□ Lab Seizure□ Chemical Seizure□ Equipment Seizure□ Dumpsite Seizure			Open – No Structure Business	
Apt., hotel, multi-family dwelling: Shared HVAC: Yes No Unknown				
Items Found: Location (bedroom, kitchen, open air, etc) (check all that apply)				
 □ One Pot or Birch Reaction(s): □ Red Phosphorous/Iodine Reaction(s): □ Hydrochloric Acid Gas Generator(s): □ Flammable Solvents: VEHICLE □ Water Reactive Metal (Lithium): □ Anhydrous Ammonia: 		Corros Ammo	☐ Corrosive Acid: ☐ Corrosive Base: ☐ Ammonium Nitrate/Sulfate: ☐ Other (item and location): HYDROGEN PEROXIDE	
Child under age 18 discovered (check appropriate)				
No No	(number present) not present but evidence they reside	unclean unclean Estimated occurring:	length of time manufacturing had been	
Vehicle, Travel Trailer, RV or Watercraft Information:				
Owner: VIN: Year:	<u>CHARLES GLENN</u> <u>JNKAY21D5PM021163</u> <u>1993</u>	Make: Model: Color:	<u>INFINITY</u> <u>J 30</u> <u>GREEN</u>	
This report has been faxed* or emailed to the following agencies that serve the location:				
Fire Department: PALMYRA VFD Fax: 812-738-2195 Health Department County: HARRISON CO Fax: EMAILED Department of Child Services Hotline: dcshotlinereports@dcs.in.gov Fax: 317-234-7595 or 317-234-7596				
For further information regarding this methamphetamine laboratory, contact Investigating Officer: K SMITH Phone 812-246-5424				
*This form is to be faxed to the Fire Department. Health Department and/or Department of Child Services listed within 24 hours of				

scene processing.